

SBI GROUP
INTERNATIONAL

Phone: 0333 300 1291 | 0800 368 9301

Email: info@sbigaragedoors.co.uk

Website: www.sbigaragedoors.co.uk



Insulated Roller
Doors



SBI GROUP
INTERNATIONAL



CONTENT

- 4. Insulated Roller door
 - 6. Benefits of Insulated Roller Door
 - 8. Elegant appearance
 - 10. Technical characteristics
 - 12. Colour options
 - 14. Optional extras
-

ABOUT US


Our company was established in 1998 and throughout the years we have always followed a few basic principles in our relationships with customers and partners - openness, flexibility and correctness.

We build trust by working closely with our customers and partners. To meet their needs in short-terms we maintain a high level technology park and our high qualified staff is always there to offer the best solutions guaranteeing excellent quality.


The organisational structure of the company is created to cover the full cycle of activities— from professional consultancy, measure-taking, design, production and installation to warranty and post-warranty service.

Insulated Roller door


1 Omega guides
(with rubber and brush seals)



2 Reinforced endplates



3 Box covers



4 Electrical motor



5 Spring box




6 Photocells




7 Receiver box & remote



8 Insulated aluminium slat





Benefits of Insulated roller door

Thermal insulation

The thermal insulation is suitable for working premises or for premises directly connected to your home or office. The slat design made of twin walled aluminium filled with advanced insulating foam helps the insulated roller door to significantly reduce heat loss or provide effective sound deadening.

Elegant & Safe design

With insulated roller door the light opening is used most effectively. The box is not visible from the outside which contributes for the simple and elegant façade appearance. Some of the most important features we highly value are the silent operation, as well as the high security level the insulated roller doors offer.

All SBI Group roller doors are CE marked and meet the European Safety Legislation on preventing injury and protecting your property.

Technical characteristics

Security, Elegance, Comfort



Where should I use it?

The thermal insulation is suitable for working premises or for premises directly connected to your home or office. The light opening is used most effectively. The box is not visible from the outside which contributes for the simple and elegant facade appearance.

The curtain

The insulated slats are manufactured of tough twin walled aluminium evenly filled with polyurethane rigid foam which contributes for the quiet door operating. The design of the insulated slat significantly reduces heat loss and provides effective sound deadening.




The "Elegant vision" box

The box consists of three parts. The top, bottom and back lids are beautifully designed to hide the rolling mechanism without reducing the service accessibility. What is more, is the possibility for every part of the box to exist separately. This gives customer the flexibility to choose the best option for him.




The insulated roller door combines quality, compactness and security.




Elegant appearance

The insulated roller door combines quality, compactness and security. Furthermore, with roller doors the light opening is used most effectively because they are compactly wound into a well-designed shutter box which does not require much space. The box is installed above the light opening, making it not visible from the outside, which contributes for the simple and elegant façade appearance. The omega guides are extremely strong and made of 2 mm galvanised steel where brush and rubber seals provide for minimal noise and maximum sealing, another important features we highly value of the insulated roller doors.

Vision slats with polycarbonate infills are perfect solution when natural light is needed to enter the premises. The slat design is made to match perfectly the foam filled aluminium slats which will not disturb the elegant vision of the insulated roller door.



The insulated slats are manufactured of tough twin walled aluminium evenly filled with polyurethane rigid foam which contributes for the quiet door operating. The design of the insulated slat significantly reduces heat loss and provides effective sound deadening.



Colour Options

Your roller shutter door makes up a huge portion of your property façade, meaning that it is normally the first thing that passers-by will notice about the appearance of your building. We know that alongside quality control, style, price and aesthetic appeal is a very important feature for any roller shutter door. With colour playing such a huge role, here in SBI Group International we are committed to satisfy every customer need by providing every colour range from the RAL catalogue without an additional surcharge. Giving you peace of mind by providing you with the opportunity to select the best colour match without compromising with the budget is one of the many things that differentiate us from our competitors.

Colours in print (such as this catalogue) are not necessarily the most accurate. If you would like a sample of our colours, we can send these out to you upon request.



1. Golden Oak
3. Mahogany

2. Walnut
4. Wenge



ALL RAL CATALOGUE COLOUR RANGES WITHOUT SURCHARGE!



5. Traffic White (based on RAL 9016)

8. Jet Black (based on RAL 9005)

11. White Aluminium (based on RAL 9006)

6. Ruby Red (based on RAL 3003)

9. Steel Blue (based on RAL 5011)

12. Moss Green (based on RAL 6005)

7. Anthracite Grey (based on RAL 7016)

10. Light Grey (based on RAL 7035)

13. Terra Brown (based on RAL 8028)

Optional extras



Wireless key pad



External switch key



Safety edge solution



Smart application control



Fingerprint access



4 Channel transmitter



Security box for emergency access